



Messr:	test	Service Sheet No:	123ABC
Address:	test	Date:	2020-11-11
		Time In :	10:15
		Time Out :	11:25



FOLLOW-UP

TIME SERVICE

OTHERS

PEST TYPE				
All Pest(Survey)	Ants	Bats	Bees	Beetles
Birds	Cats	Cockroaches	Dogs	Drywood Termites
Fleas	Flies	Hornet	Lice	Mites
Mosquitoes	Rodent	Snake	Subterranean Termites	Wasps
SITE DESCRIPTION				
Commercial	Condo	Construction Site	Educational	Family Housing(Occupied/Vacant)
Food Handling Establishments	Food Storage Warehouses	Hospital/Clinic (Health Care)	Hotel/Hostel	Industrial
Landed	Office Administration Area	Office Enlisted Quarters	Town Council Estate	Workers Dormitory
OPERATION				
ULV	Fogging	Gassing	Handspray	Misting
CONTROL AGENT				
Alpha-Chloralose (Bird Cool)	Arsenic Trioxide	Bacillus Thuriensis (BTI)	Bromadiolone (Rodenticide)	Cypermethrin
Dichlorvos (NEWFU)	D-Tetramethrin (Peguard)	Fenvalerate (Wazary 10 FL)	Imidacloprid (Quick Bayt)	Kerosine Xn R 1.0 (AMO)
Malathion	Orthoboric Acid (Gel)	Permethrin	Propoxur	Sulphur
PESTICIDE FORMULATION				
Aerosol	Bait	Dust	Emulsion	Liquid Fumigant
Location				
====> pro-test1	====> ASQ	Granite floor in Cube	Black granite columns & wall claddings to GF	Car Park Level 3
Car Park Level 4 & 5	Tower Glass Window Facade	Glass ice block to perimeter of podium	Specific outdoor refreshment areas	Driveway
White light glass box at Gr. floor lift lobby	Aluminium and steel column to cube	Rear facade glass panel along Shenton Lane	Glass handicap lift shaft & escalator to UPN	Location pro test
rto	A112	A145	A515 Human Resource	A522
A523 DYPT Office	A509	A510	A511 Director Cluster	A502
A503 Board Room	A501 PCEO Office	Level 5 Library	A536 Function Room	A513
A514 Meeting Room	A512 Project Office	A402 Public Affair	A401 Finance Office	A422 Information Office
Level 4 Library	A403 CPC	A330 Estate Office	A333 IPC Office	A338 NYP Function Room
A339 NYP Lounge	A301 Examination Office	A320 EDC	A201 Student Recruitment Office	A248 Function Room
TFA	A103 Purchase & General Admin	Blk A Auditorium	A106, A146 i@connect	Staff rooms
Reading Area	Blk A Level 5	Blk A Level 4	Blk A Level 3	Blk A Level 2
Blk A Level 1	A533N	A533L	A533J	Blk A A2
Blk A A3	Blk A A4	Blk A A5	Blk A A6	Blk A A7
Blk A A8	Blk A A9	Blk A A10	Blk A Theatre for the Arts	Blk A A21

Blk A A13	Blk A A14	Blk A A19	Blk A Centre Staircase	Blk A Function Room
Blk A L4 Reading Lounge	Blk A Lift No. 1	Blk A Lift No. 2	Blk A Lift No. 3	Blk A Lift No. 4
Blk A Lift No. 5	Blk A Lift No. 8	Blk A Lift No. 9	Blk A Lift No.10	Blk A1 Level 1
Blk A1 Level 2	Blk A1 Level 3	Blk A1 Level 4	Blk A1 Level 1	Blk A1 Level 2
Blk A1 Level 3	Blk A1 Level 4	Blk A1	Blk A1 Level 2	Blk A1 Staircases
Blk T Music Studio	Blk T KTV Rooms	Blk T Level 1	Blk T Level 2	Blk T Lift
Blk T Dance Studio	Blk T Staircases	Blk B Level 1	Blk B Level 2	Blk B Level 3
Blk B Level 4	Blk B Level 5	Blk C Level 1	Blk C Level 2	Blk C Level 3
Blk C Level 4	Blk C Level 5	Blk D Level 1	Blk D Level 2	Blk D Level 3
Blk D Level 4	Blk D Level 5	Blk D1 Level 1	Blk D1 Level 2	Blk D1 Level 3
Blk D1 Level 4	Blk E	Blk E Level 2	Blk E Level 3	Blk E Level 4
Blk F Level 2	Blk F Level 3	Blk G Level 2	Blk G Level 3	Blk H
Blk H Level 2	Blk H Level 3	Blk H Level 4	Blk H Level 5	Blk H Level 6
Blk J Level 2	Blk J Level 3	Blk J Level 4	Blk J Level 5	Blk J Level 6
Blk K Level 2	Blk K Level 3	Blk K Level 4	Blk K Level 5	Blk K Level 6
Pond Landscape Area	Big Fountain Pool	Small Fountain Pool	Escalator A1 to A10	Carpark No. 15
Carpark No. 3	Carpark No. 4	Carpark No. 5	Carpark No. 6	Blk A Level 1 to 5
Main Entrance (Daily)	Fountain Plaza	Outside Theatre for the Arts	A116	A117
A140	A141	A105A	A105B	A105E
A105D	A105F	A105P	A105N	A1-148
A1-149	A1-150	A217	A219	A274
A276	A237	A238	A249	A251
A245D1	A245E1	A304	A306	A343
A345	A326	A327	A335	A337
A424	A426	A436	A438	A431
A432	A527	A529	A540	A542
A505	A506	Level 1 Main Entrance	Level 3 Entrance	A1 Level 1 Main Entrance
A1 Main Entrance	Blk T Level 1 Main Entrance	T104	T105	T106
T202	T203	T205	Blk B Level 6	Blk B Level 5 - 516F, 517H, 518M
Blk B Level 4 - 413F, 414H, 415F	Blk B Level 3 - 315F, 316H, 317M	Blk B Level 2 - 206F	Blk B Level 1 - 112F, 113H, 114M	Blk C Lift 1 & 2
Blk C Level 1 Main Entrance	Blk C Level 1 Internal Corridor	Blk C Level 4 Roof garden	Blk C Level 5 - 502M	Blk C Level 4 - 412MS, 413FS, 426H
Blk C Level 3 - 312MS, 313FS, 325H	Blk C Level 2 - 218MS, 219FS, 238H	Blk D Level 6	Blk D Level 5 - 516H, 517F, 519F	Blk D Level 4 - 417H, 418M, 420F
Blk D Level 3 - 321F, 323F	Blk D Level 2 - 209F	Blk D Level 1 - 110H, 111M, 113F, 107MS, 108FS, 110H	Blk D1 Lift 1 & 2	Blk D1 Level 1 Internal Corridor
Blk D1 Level 1 - D1107, D1108, D1109,	Blk D1 Level 2 - D1206, D1207, D1208	Blk D1 Level 3 - D1309, D1310, D1311	Blk D1 Level 4 - D1408, D1409, D1410,	Blk E Lift 1 & 2
Blk E Level 4 - 403M, 404H, 409FH, 410F	Blk E Level 3 - 302M, 303MH, 310FH, 311F	Blk E Level 2 - 202M, 203H, 217F, 218FH	Blk F Lift 1	Blk F Level 3 Lobby
Blk F Level 3 - 301M, 302F	Blk F Level 2 - 210M, 211F	Blk G Lift 1	Blk G Level 2 - 208F, 210M, 223M, 224F	Blk G Level 1 - 106F, 108M
Blk H Lift 1	Blk H Level 6 - 616F, 619FH, 620F	Blk H Level 5 - 521M, 522FH, 523F	Blk H Level 4 - 425F, 426FH, 427F	Blk H Level 3 - 318M, 319FH, 320F
Blk H Level 2 - 216F, 217FH, 218F	Blk J Lift 1 & 2	Blk J Level 3 Main Entrance	Blk J Level 3 Internal Corridor	Blk J Level 6 - 612M, 613F
Blk J Level 5 - 513M, 514F	Blk J Level 4 - 420M, 421F	Blk J Level 3 - 308M, 309F	Blk J Level 2 - 207M, 208F	Blk K Lift 1
K325	Blk K Level 6 - 616FH, 617F, 621F	Blk K Level 5 - 520FH, 521F, 523M	Blk K Level 4 - 424FH, 425F, 427F	Blk K Level 3 - 322FH, 323F, 325M
Blk K Level 2 - 210MF, 211M, 213F	Carpark 3, 4, 5, 6, 15	M & E Plant Rooms	Blk T T201, T209, T210, T211	Carparks 7, 8

Avenue 9 Entrance & Guard House	Carparks 9, 10, 11	Carparks 12, 13, 14	Blk A Canopy / Entrances	BLK A A103 (PGA)
BLK A A511	BLK A A509	BLK A A516	BLK A A402	BLK A A403R
BLK A A403S	BLK A A403T	BLK A A430L	BLK A CAFÉ Area	Blk A M & E Plant Room
Blk A Rainshield	Blk A Library Level 5	Blk A Library Level 4	Blk A Glass Lourves	Blk A Atrium, East & West Entrance
Blk A External Carpark	Blk A All Staircase	Blk A Lift (except no. 4 & no. 8)	Blk A Fountain & Cascading Pool	Blk A Roof Top
BLK A1 Level 1 i@Central	Blk A1 Roof Top	Blk T Roof Top	Blk B Level 4 Staff room	Blk B Level 1 Staff room
Blk B Level 2 Staff room	Blk B Level 3 Staff room	Facing pond Level 1 to Level 5	Blk B M & E Plant Room	Blk B level 3 internal corridor
Blk B level 4 internal corridor	Blk B level 5 internal corridor	Blk B level 4 Tutorial room	Blk C Level 2 Staff room	Blk C Level 2 LT-C1
Blk C Level 2 LT-C2	Blk C Level 2 LT-C3	Blk C Level 1 Staff room	Blk C Level 3 Staff room	Blk C M & E Plant Room
Blk C Level 2 SBM Entrance	Blk C Level 2 Lobby	Blk D Level 2 LT-D3	Blk D Level 2 LT-D4	Blk D Level 2 LT-D6
Blk D M & E Plant Room	Blk D Level 3 Lecture room	Blk D Level 3 Tutorial room	Blk D Level 5 Internal corridor	Blk D Level 5 Tutorial room
Blk D Level 4 Internal corridor	Blk D Level 4 Tutorial room	Blk D1 Level 1 LT-D1	Blk D1 Level 1 LT-D2	Blk D1 Level 1 Function Room 1
Blk D1 Level 1 Function Room 2	Blk D1 Level 1 Function Room 3	Blk D1 Level 2 Lecture room	Blk D1 Level 3 Lecture room	Blk D1 Level 2 Tutorial room
Blk D1 Level 3 Tutorial room	Blk D1 Level 1 Function Room	Blk D1 Level 1 Seminar Room	Blk D1 Level 1 Media Studio	Blk D1 M & E Plant Room
Blk D1 Level 2 - Tutorial room	Blk D1 Level 2 - Media Hub	Blk D1 Level 2 - LT-2 and LT-2	Blk D1 Level 2 - Studio	Blk D1 Level 3 - Computer Lab
Blk D1 Level 4 - Computer Lab	Blk D1 Level 4 - Art Room	Blk E level 4 Staff Rooms	Blk E Level 1 Room	Blk E M & E Plant Room
Blk E level 4 Internal corridor	Blk E level 3 Internal corridor	Blk E level 3 Staff Rooms	Blk F level 2 Staff Rooms	Blk F level 2 Internal corridor
Blk F level 3 Staff Lounge	Blk F level 3 Function Rooms	Blk F level 3 Staff Rooms	Blk F level 3 Internal corridor	Blk F M & E Plant Room
Blk F Entrance	Outdoor Stadium	Game Courts	Indoor Stadium	Blk G M & E Plant Room
Swimming Complex	Blk H level 2 LT-H1	Blk H M & E Plant Room	Amphitheatre	Blk H level 5 Internal corridor
Blk H level 5 Laboratories	Blk H level 6 Internal corridor	Blk H level 6 Laboratories	Blk H level 3 Internal corridor	Blk H level 3 Laboratories
Blk H level 4 Internal corridor	Blk H level 4 Laboratories	Blk H level 2 Internal corridor	Blk H level 2 Laboratories	Blk J level 3 Staff Rooms
Blk J M & E Plant Room	Blk J level 2 Internal corridor	Blk J level 2 Laboratories	Blk J level 3 Laboratories	Blk J level 6 Store
Blk J level 6 Pantry	Blk J level 6 Internal corridor	Blk J level 5 Store	Blk J level 5 Pantry	Blk J level 5 Internal corridor
Blk J level 4 Store	Blk J level 4 Pantry	Blk J level 4 Internal corridor	Blk K level 2 LT-1	Blk K level 2 LT-2
Blk K level 2 LT-3	Blk K M & E Plant Room	Blk K level 5 Internal corridor	Blk K level 5 Laboratories	Blk K level 6 Internal corridor
Blk K level 6 Laboratories	Blk K level 3 Internal corridor	Blk K level 3 Laboratories	Blk K level 4 Internal corridor	Blk K level 4 Laboratories
Blk K level 2 Internal corridor	Blk K level 2 Laboratories	Blk A facing Blk L	Blk A facing CP15	North sector facing North Garden
South Sector facing South Garden	West Sector facing Blk S	West Sector facing CP4 Entrance	West Sector facing Blk B	West Sector above Auditorium
Atrium (Internal Glass Panels)	Staircase Glass Panels at Lift 4	Staircase Glass Panels at Lift 8	Auditorium (External)	Atrium Main Entrance & Auditorium
Above Auditorium	East Sector Facing Blk K	Level 3 Internal Garden	Blk T Facing Rail Way	Facing to Open Area
Auditorium Outside	Blk B Facing Blk A	Blk B Facing Blk C	Blk B Facing Pond	Blk C Facing Blk B
Blk C Facing Blk D	Blk D Facing Blk C	Blk D facing Pond	Blk D1 facing Blk d	Blk E facing Pond

Blk E facing CP 11	BLK F Facing Swimming pool	Blk G facing Tennis Court	Blk H facing pond	Blk H facing Stadium
Amphitheatre (Blk H)	Blk H facing Blk J	Blk J facing Blk K	Blk J facing Blk H	Blk K facing pond
Blk K facing Blk J	Blk K facing Blk A	Avenue 6 near Apple Factory	Avenue 9 - near Police Station	Avenue 8 - YCK MRT
Avenue 6 NYP	Avenue 5 NYP	Avenue 5 Entrance	Avenue 3 Expressway	Avenue 3 CTE Expressway
Avenue 5 CTE Expressway	Avunue 8 Ang Mo Kio	visat	Corporate Office	Casuarina Primary School
Coral Primary School	East Spring Primary School	East View Primary School	Elias Park Primary School	Gongshang Primary School
Junyuan Primary School	Loyang Primary School	Meridian Primary School	Park View Primary School	Pasir Ris Primary School
Tampines North Primary School	Tampines Primary School	White Sands Primary School	St Hilda's Primary School	Poi Ching School
Dunman Secondary School	East Spring Secondary School	East View Secondary School	Greenview Secondary School	Junyuan Secondary School
Loyang Secondary School	Meridian Secondary School	Pasir Ris Crest Secondary School	Pasir Ris Secondary School	Springfield Secondary School
Tampines Secondary School	Hai Sing Catholic School	St Hilda's Secondary School	Meridian Junior College	test school
Nanyang Poly	Afton	Zone A	Zone B	Zone C
Zone D	Zone E	Zone E	Zone E	Zone E
Zone E	Zone F	Zone G	Zone H	Zone E
Zone E	Zone E	Zone E	Zone E	Zone E

Pesticide EPA Reg. No: 456pqr

Name Of Customer : testing

Signature : 

Date : 2020-11-10

Name Of Technician : testing

Signature : 

Date : 2020-11-10